

Oilfield, Marine, Plumbing & Ship Store Supplier



// Empowering Global Energy Operations

Since the establishment of Emiratrade Global in 2024, we have continuously grown to become one of the largest stockists of complete pipeline solutions in the Middle East region.

Our directors and sales team have vast experience in fluid power engineering, which makes us masters of trade and solutions. Their experience in the UAE spans almost three decades and extends to involvement in the manufacturing industry.


Every transaction in the company begins with identifying our customer's requirements and ends with delivering the right solution. We understand the needs of our customers and provide them with the most suitable materials for their applications, thereby achieving true customer delight.

Keeping in mind the dynamic needs of both customers and the industry, we at Emiratrade Global embrace technological advancements in tune with changing times.


// DRILLING & RIG EQUIPMENT



MUD PUMPS



KELLY SPINNERS



ROTARY TABLES



BOPs



SHALE SHAKERS

// MECHANICAL COMPONENTS



DRILLFLOOR/CANTILEVER
STRUCTURES



HANDLING TOOLS



WINCHES



SPUDCANS

// ELECTRICAL & INSTRUMENTATION

3



FLAMEPROOF LIGHTING



CONTROL PANELS



ESD SYSTEMS



SENSORS



LV/MV/HV CABLES

// SAFETY & PPE FOR OILFIELDS



GAS DETECTORS



FLAME-RESISTANT
COVERALLS



HARNESSES



SCBA KITS



HELMETS

// LIFTING & HOISTING EQUIPMENT



CHAIN HOISTS



SHACKLES



LOAD MONITORING DEVICES



ESD SYSTEMS



PAD EYES

// FLEXIBLE CONNECTORS

6



RUBBER EXPANSION JOINTS



CAMLOCK COUPLINGS



QUICK RELEASE COUPLINGS

// TUBE CLAMPS & ACCESSORIES



PIPE REPAIR CLAMPS



U-BOLTS




TUBE CLAMPS



// PIPES

9



Name: SS SEAMLESS TUBES

Size: 1/4" to 24"

Materials: ASTM A105/AP 5L/ A53 GR.B, ASME A312

Grade: CS,304/304L, 316/316L, DUPLEX, SUPER DUPLEX

Thickness: #10, #40, #80, #160



Name: SS ERW / SEAMLESS PIPES

Size: 1/4" to 24"

Materials: ASTM A105/AP 5L/ A53 GR.B, ASME A312

Grade: CS,304/304L, 316/316L, DUPLEX, SUPER DUPLEX

Thickness: #10, #40, #80, #160



Name: CS SEAMLESS TUBES

Size: 1/4" to 24"

Materials: ASTM A105/AP 5L/ A53 GR.B, ASME A312

Grade: CS,304/304L, 316/316L, DUPLEX, SUPER DUPLEX

Thickness: #10, #40, #80, #160



Name: CS ERW / SEAMLESS PIPES

Size: 1/4" to 24"

Materials: ASTM A105/AP 5L/ A53 GR.B, ASME A312

Grade: CS,304/304L, 316/316L, DUPLEX, SUPER DUPLEX

Thickness: #10, #40, #80, #160

// BUTTWELDED ERW / SEAMLESS PIPE FITTINGS

10



ELBOW 90°



ELBOW 45°



EQUAL TEE



END CAP



REDUCER TEE



CONCENTRIC REDUCER



ECCENTRIC REDUCER



ELBOW 90°



ELBOW 45°



EQUAL TEE



END CAP



REDUCER TEE



CONCENTRIC REDUCER



ECCENTRIC REDUCER

Size: 1/4" to 24"

Materials: ASTM A105/AP 5L/ A53 GR.B, ASME A312

Grade: CS,304/304L, 316/316L, DUPLEX, SUPER DUPLEX

Thickness: #10, #40, #80, #160

// FLANGES



SLIP ON FLANGE



WELDED NECK FLANGE



THREADED FLANGE



BLIND FLANGE



SOCKET WELDING FLANGE



SLIP ON FLANGE



WELDED NECK FLANGE




THREADED FLANGE



BLIND FLANGE



SOCKET WELDING FLANGE



SPACER/SPECTACLE BLIND



BI METALLIC FLANGE

Size: 1/2" to 24"

Description: ANSI, B16.5 CLASS 150, 300, 600, 900, 1500

BS 4504 PN10, PN16, PN25 & PN40

Materials: ASTM A105, SS304, 304L, SS316, 316L

// MS FORGED FITTINGS 1000 PSI



CARBON STEEL ELBOW 90°




CARBON STEEL ELBOW 90° M/F




CARBON STEEL EQUAL TEE




CARBON STEEL HEX BUSHING




CARBON STEEL SOCKET



CARBON STEEL UNION



CARBON STEEL RED. NIPPLE



CARBON STEEL HEX NIPPLE



CARBON STEEL PLUG

Size: 1/2" to 4"

Description: FORGED STEEL FITTINGS

Materials: ANSTIM A106

Pressure: 1000 PSI

// FORGED HIGH PRESSURE PIPE FITTINGS

13



STAINLESS STEEL
ELBOW 90°



CARBON STEEL
ELBOW 90°



STAINLESS STEEL
ELBOW 45°



CARBON STEEL
ELBOW 45°



STAINLESS STEEL
EQUAL TEE



CARBON STEEL
EQUAL TEE



STAINLESS STEEL
CROSS TEE



CARBON STEEL
CROSS TEE



CARBON STEEL
SOCKET



CARBON STEEL
SOCKET



STAINLESS STEEL
UNION



CARBON STEEL
UNION



STAINLESS STEEL &
CARBON STEEL END CAP



STAINLESS STEEL &
CARBON STEEL END CAP



S. STEEL & CARBON STEEL
HEX BUSHING



S. STEEL & CARBON STEEL
HEX NIPPLE

Size: 1/2" to 4"

Description: NPT/SW

Materials: STAINLESS STEEL AND CARBON STEEL

Thickness: 2000 / 3000 / 6000 / 10000 LBS

// MALLEABLE/GALVANIZED IRON PIPE FITTINGS



ELBOW 90°



STREET ELBOW 90°



SQUARE PLUG



ELBOW 45°



TEE



REDUCING TEE



REDUCING SOCKET



HEXAGON NIPPLE



REDUCING BUSH



UNION



CROSS



END CAP



GI BARREL NIPPLE



MS BARREL NIPPLE

Size: 1/4" to 6"

Materials: MALLEABLE / GALVANIZED IRON

// STAINLESS STEEL PIPE FITTINGS



ELBOW 90°



TEE



REDUCING TEE



CROSS



ELBOW 45°



STREET ELBOW 90°



UNION



PLUG



HEXAGON BUSHING



HEXAGON NIPPLE



REDUCING NIPPLE



ROUND CAP



REDUCING SOCKET



SOCKET



HOSE NIPPLE



BARREL NIPPLE

Size: 1/8" to 4"

Materials: STAINLESS STEEL

Pressure: CLASS 150

// STAINLESS STEEL VALVES



BALL VALVE
SIZE: 1/2" TO 12"



GATE VALVE
SIZE: 1/2" TO 12"



GLOBE VALVE
SIZE: 1/2" TO 12"



SWING CHECK VALVE
SIZE: 1/2" TO 12"



Y STRAINER
SIZE: 1/2" TO 12"



WATER CHECK VALVE
SIZE: 1/2" TO 12"



DISC CHECK VALVE
SIZE: 1/2" TO 8"



DUAL PLATE CHECK VALVE
SIZE: 2" TO 12"



GATE VALVE CLASS 200
SIZE: 1/2" TO 4" NPT/BSPT



SWING VALVE CLASS 200
SIZE: 1/2" TO 4" NPT/BSPT



SWING VALVE CLASS 200
SIZE: 1/2" TO 4" NPT/BSPT



SS Y-STRAINER CLASS 800
SIZE: 1/2" TO 4" NPT/BSPT



BALL VALVE REDUCED BORE
SIZE: 1/2" TO 4" NPT/BSPT



1 PIECE BALL VALVE REDUCED BORE
SIZE: 1/4" TO 4" NPT/BSPT



2 PIECE BALL VALVE FULL PORT
1000 WOG
SIZE: 1/4" TO 4" NPT/BSPT



3 PIECE BALL VALVE FULL PORT
1000 WOG
SIZE: 1/4" TO 4" NPT/BSPT/SW

// CAST STEEL VALVE & FORGED STEEL VALVE

17



GATE VALVE
SIZE: 1/2" TO 24"



GLOBE VALVE
SIZE: 1/2" TO 12"



BALL VALVE
SIZE: 1/2" TO 12"



SWING CHECK VALVE
SIZE: 1/2" TO 12"



Y STRAINER
SIZE: 1/2" TO 12"



WATER CHECK VALVE
SIZE: 2" TO 12"



BALL VALVE REDUCED BORE
SIZE: 1/4" TO 4" NPT/BSPT



2 PIECE BALL VALVE FULL PORT
SIZE: 1/4" TO 4" NPT/BSPT



3 PIECE BALL VALVE FULL PORT
NPT/BSPT/SW SIZE: 1/4" TO 4"



FORGED STEEL GATE VALVE
A105 SIZE: 1/2" TO 2" NPT/SW



FORGED STEEL GLOBE VALVE
A105 SIZE: 1/2" TO 2" NPT/SW



FORGED STEEL SWING CHECK VALVE



FORGED STEEL Y STRAINER
A106 SIZE: 1/2" TO 2" NPT/SW



FORGED SS GATE VALVE
A182
SIZE: 1/2" TO 2" NPT/SW



FORGED SS GLOBE VALVE
A182
SIZE: 1/2" TO 2" NPT/SW



FORGED SS CHECK VALVE
A182
SIZE: 1/2" TO 2" NPT/SW

// HIGH PRESSURE VALVE



SS CHECK VALVE
6000/10000 PSI SIZE: 1/2" TO 2"



SS BALL VALVE 6000 PSI
SIZE: 1/2" TO 2"



FCS BALL VALVE 6000 PSI
SIZE: 1/4 TO 2"



SS BALL VALVE 3000 PSI
SIZE: 1/4" TO 2"



FCS BALL VALVE 3000 PSI
SIZE: 1/2" TO 2"



SS 316 SAFETY VALVE
SIZE: 1/2" TO 1" 0-450 BAR / 0-700BAR



SS 316 BALL VALVE
10000 PSI SIZE: 1/4" TO 2"



SS NEEDLE VALVE
F X F 6000/10000
SIZE: 1/4" TO 2"



SS NEEDLE VALVE
M X F 6000/10000
SIZE: 1/4" TO 2"

// BRASS / BRONZE VALVE / RELIEF VALVE



BRASS & BRONZE GATE VALVE
SCREWED- 1/4" TO 4"
FLANGED- 1" TO 6"



BRASS & BRONZE GATE VALVE
SCREWED- 1/4" TO 4"
FLANGED- 1" TO 6"



BRASS & BRONZE CHECK VALVE
FLANGED
SIZE: 1/2" TO 6"



BRASS AND BRONZE CHECK VALVE
SCREWED: 1/4" TO 4"



BRASS / BRONZE YORK CHECK VALVE
SCREWED END
SIZE: 1/2" TO 4"



BRASS / BRONZE Y- STRAINER
SCREWED END
SIZE: 1/2" TO 4"



BRONZE DRV VALVE
SIZE: 1/2" TO 2"



BRASS / BRONZE BALL VALVE
SCREWED END SIZE: 1/2" TO 6"



BRASS YORK FOOT VALVE
SIZE: 1/2" TO 4"



BRONZE SAFETY RELIEF VALVE
WITH AND WITHOUT LEVER
SIZE: 1/2" TO 2"



CF8M 2 WAY BRASS / SS SOLENOID VALVE
SIZE: 1/2" TO 2"



PRESSURE REDUCING VALVE
BRASS / CP
SIZE: 1/2" TO 4"

// CAST IRON VALVE



GATE VALVE
SIZE: 1 1/2" TO 24"



Y STRAINER
SIZE: 1 1/2" TO 12"



NON RETURN VALVE
SIZE: 1 1/2" TO 12"



GLOBE VALVE
SIZE: 1/2" TO 12"



BELLOW SEAL GLOBE VALVE
SIZE: 1/2" TO 8"



BALL VALVE
SIZE: 1/2" TO 8"



DUAL PLATE CHECK VALVE
WAFER TYPE DI/SS DISC



DOUBLE REGULATING VALVE
SIZE: 2" TO 12"



CI/SS TD STEAM TRAP
SIZE: 1/2" TO 2"



CI BALL FLOAT STEAM TRAP
SIZE: 1/2" TO 2" FT/NPT



FOOT VALVE WITH SS MESH
SIZE: 2" TO 24" FT



CI AIR RELEASE VALVE
SIZE: 1/2" TO 2"



LUG TYPE BUTTERFLY VALVE
DI/SS DISC SIZE: 2" TO 24"



GEAR/LT BUTTERFLY VALVE
DI/SS DISC SIZE: 2" TO 2"



KNOFE GATE VALVE
SIZE: 2" TO 12"



**PRV & WATER FLOW
METER**

// GROOVED FITTINGS AND VALVES



GROOVED ELBOW 90°
SIZE: 2" TO 12"



GROOVED ELBOW 45°
SIZE: 2" TO 12"



GROOVED EQUAL TEE
SIZE: 2" TO 12"



GROOVED CON. REDUCER
SIZE: 2" TO 12"



GROOVED FLANGES
SIZE: 2" TO 12"



GROOVED FLANGE ADAPTOR
SIZE: 2" TO 12"



GROOVED MECHANICAL TEE
SIZE: 2" TO 12"



GROOVED CAP
SIZE: 2" TO 12"



GROOVED COUPLING
SIZE: 1 1/4" TO 12"



FIRE GATE VALVE
SIZE: 2" TO 12"



ZONE CONTROL VALVE
SIZE: 2" TO 12"



FIRE CHECK VALVE
SIZE: 2" TO 12"

// CAM LOCK AND COUPLING


22



CAM AND GROOVE COUPLING
TYPE A




CAM AND GROOVE COUPLING
TYPE B



CAM AND GROOVE COUPLING
TYPE C



CAM AND GROOVE COUPLING
TYPE D



CAM AND GROOVE COUPLING
TYPE E



CAM AND GROOVE COUPLING
TYPE F



CAM AND GROOVE
COUPLING TYPE DP



CAM AND GROOVE
COUPLING TYPE DC

Size: 1/2" to 6"

Description: CAMLOCK COUPLINGS

Pressure: STAINLESS STEEL, ALUMINIUM, BRASS

// MISCELLANEOUS COUPLING

23



FLANGE ADAPTOR
Material: Ductile Iron
SIZE: 2" TO 24"



UNIVERSAL COUPLING
Material: Ductile Iron
SIZE: 2" TO 24"



BAUER COUPLING
Material: Galvanized Iron
SIZE: 2" TO 8"



MILLER COUPLING
Material: Galvanized Iron
SIZE: 2" TO 8"



HOSE MENDER
Material
Galvanized Iron/ Brass
SIZE: " TO 8". 14" TO 2"



HOSE NIPPLE
Material
Galvanized Iron/ Brass
SIZE: 1/2" TO 8", 1/4" TO 2"



STORZ COUPLING
Material -Aluminium
SIZE: 1%" TO 4"

// CLAW COUPLING G.I & BRASS

24



FOUR CLAW COUPLING



HOSE CLAW



FEMALE CLAW



MALE CLAW



THREE WAY CLAW
COUPLING



COUPLING
WITH MALE THREAD



COUPLING
WITH FEMALE THREAD



COUPLING WITH
HOSE CLIP



MALE PLUG



FEMALE PLUG



HOSE PLUG

// CLAMP

25



DOUBLE BOLT CLAMP



4 BOLT CLAMP



GI SINGLE BOLT CLAMP



SS SINGLE BOLT CLAMP



GI/SS RUBBER HANGING CLAMP



GI/SS WORM DRIVE CLAMP



SS PIPE REPAIR CLAMP



PP TUBE/PIPE CLAMP LIGHT DUTY




PP TUBE/PIPE CLAMP HEAVY DUTY



ALUMINIUM TUBE/PIPE CLAMP HEAVY DUTY



ALUMINIUM TUBE/PIPE CLAMP LIGHT DUTY




PP TWIN CLAMP LIGHT/HEAVY DUTY



ALUMINIUM TWIN CLAMP LIGHT DUTY



PP/ALUMINIUM DOUBLE LAYER CLAMP



RAIL CLAMPS & NUTS LIGHT DUTY



RAIL CLAMPS & NUTS HEAVY DUTY

// GASKET DIVISION


26



**NON ASBESTOS
GASKET SHEET**



**RED
GASKET SHEET**



**WIRE INSERTED
GASKET SHEET**



CUT GASKET



**SPIRAL WOUND
GASKET**




**RING JOINT
GASKET**



**PTFE ENVELOPED
GASKET**



**METAL JACKETED
GASKET**



**KAMM PROFILE
GASKET**



**FLANGE INSULATION
GASKET KIT**



**TEFLON
ROD & SHEET**



**COMPRESSION
PACKINGS**

// GASKET DIVISION



RUBBER SHEETS
(SBR, NEOPRENE, EPDM,
VITON, TANGUM, SILICON)



FLOORING RUBBER
MATS



ELECTRICAL RUBBER
MAT



RUBBERIZED CORK
SHEET



CERAMIC TAPE/ROPE
FIBER GLASS TAPE/ROPE/CLOTH



OIL JOINTING PAPER



BRAKE LINING
ROLL



STOCK & CUSTOM MADE
RUBBER & METAL
EXPANSION JOINTS



O RING SEALS



RUBBER UNION
FLEXIBLE CONNECTOR



3 BOLT UNION CONNECTOR



FLANGE TYPE FLEXIBLE
CONNECTOR